

Table of Contents

| Introduction to Aesthetic Society® statistics | 1 |
|---|----|
| Cosmetic surgery trends (graph) | 2 |
| 2008 statistics quick facts | 3 |
| Top procedures (graphs) | 4 |
| National totals (table) | 5 |
| Procedures: Ten year comparisons (graph) | 6 |
| Percent change: 1997–2008 (table) | 7 |
| Top procedures by gender (graphs) | 8 |
| Gender distribution (table) | 9 |
| Age distribution (table) | 10 |
| National average fees (table) | 11 |
| General information (graphs) | 12 |
| Aesthetic Society® member profile (table) | 13 |
| Procedure quick facts | 14 |
| Consumer attitudes survey | 16 |
| ASAPS guick facts | 17 |

Aesthetic Society® Resources for the Media:

ASAPS Spokesperson Network

- Thought and opinion leaders in all types of cosmetic procedures, surgical and nonsurgical are available for interviews and information
- Spokespersons are available nationwide in urban and rural settings
- ASAPS leadership is available for information and interviews in all major cosmetic surgery markets
- All Aesthetic Society® spokespersons are working clinicians in direct patient care

The Media Center at www.surgery.org/press

- · Downloadable statistics and full color graphs
- Aesthetic Society® "procedures at a glance"
- Complete library of press releases ranging from 1998 to the most recent releases are also indexed by subject
- Frequent posting of new information, position statements and news releases
- Automatic email notification of new postings available on request (please contact media@surgery.org)

Other Resources for the Media

- Before and after patient photos
- Video –B roll, news packages and video news releases
- Invited media attendance at ASAPS Scientific Meetings

Contact the Aesthetic Society® Communications Office at 212-921-0500 or e-mail media@surgery.org for prompt assistance. If you are a reporter on deadline and working after hours, please call our California Office at 800-364-2147.

About the Aesthetic Society

he American Society for Aesthetic Plastic Surgery (ASAPS) was founded in 1967 when cosmetic surgery was only beginning to be recognized as the important subspecialty it is today.

Founded on a mission of education, we are now widely recognized as the leader in cosmetic surgery research, education, and procedural advances.

United States membership to the Aesthetic Society® is restricted to American Board of Plastic Surgery certified physicians who meet a minimum number of surgical procedures performed and commit to a minimum number of continuing medical education hours. New members must be sponsored by a current Society member.

Of course, cosmetic procedures surgical and nonsurgical are performed by a variety of physicians. For that reason, we rely on physicians from many different specialties when we compile our annual statistics. We thank these clinicians for their contributions to our survey.

Methodology

2008 marks the twelfth consecutive year that multi-specialty data has been collected on these procedures.

A paper-based questionnaire was mailed to 16,000 Board-Certified physicians (6,000 Dermatologists, 6,000 Otolarynologists, and 4,000 Plastic Surgeons). A total of 894 completed and valid responses (461 Plastic Surgeons, 277 Dermatologists, and 156 Otolaryngologists) were received in time for tabulation.

Final figures have been projected to reflect nationwide statistics and are based exclusively on the Board-Certified Plastic Surgeons; Otolaryngologists; and Dermatologists. The findings have been aggregated and extrapolated to the known population of 23,600 physicians who are Board Certified in these specialties. Though the confidence intervals change by procedure, depending on the grouping's sample size and the response variance, the overall survey portion of this research has a standard error of +/- 3.21% at a 95% level of confidence.

The Survey on Cosmetic Procedures Performed in 2008 was compiled, tabulated and analyzed by Industry Insights Inc. (www.industryinsights.com), an independent research firm based in Columbus, OH.

Cosmetic Surgery

(Surgical and Nonsurgical Cosmetic Procedures: Totals)




Source: American Society for Aesthetic Plastic Surgery

Surgical Cosmetic Procedures



Source: American Society for Aesthetic Plastic Surgery

Nonsurgical Cosmetic Procedures



Quick Facts: Highlights of the ASAPS 2008 Statistics on Cosmetic Surgery:

- ♦ There were over 10 million surgical and nonsurgical cosmetic procedures performed in the United States in 2008, as reported by the American Society for Aesthetic Plastic Surgery (ASAPS). Surgical procedures accounted for 17% of the total with nonsurgical procedures making up 83% of the total.
- From 2007-2008, there was over a 12 percent decrease in the total number of cosmetic procedures. Surgical procedures decreased by 15 percent, and nonsurgical procedures decreased by almost 12 percent.
- Since 1997, there has been over 162 percent increase in the total number of cosmetic procedures. Surgical procedures increased by almost 80 percent, and nonsurgical procedures increased by over 233 percent.
- → The top five surgical cosmetic procedures in 2008 were: breast augmentation (355,671 procedures); liposuction (341,144procedures); eyelid surgery (195,104 procedures); rhinoplasty (152,434 procedures); and abdominoplasty (147,392 procedures).


- ♦ The top five nonsurgical cosmetic procedures in 2008 were: Botox injection (2,464,123 procedures); laser hair removal (1,280,964 procedures); hyaluronic acid (1,262,848 procedures); chemical peel (591,808 procedures); and laser skin resurfacing (570,880 procedures).
- Women had over 9.3 million cosmetic procedures, almost 92% percent of the total. The number of cosmetic procedures for women decreased over 11 percent from 2007.
- The top five surgical procedures for women were: breast augmentation, liposuction, eyelid surgery, abdominoplasty and breast reduction.
- Men had over 800,000 cosmetic procedures, 8 percent of the total. The number of cosmetic procedures for men decreased over 21 percent from 2007.

- The top five surgical procedures for men were: liposuction, rhinoplasty, eyelid surgery, breast reduction to treat enlarged male breasts, and hair transplantation.
- ❖ People age 35-50 had the most procedures – over 4.5 million and 45 percent of the total. People age 19-34 had 22 percent of procedures; age 51-64 had 26 percent; age 65-and-over had 6 percent; and age 18-and-younger had almost 2 percent.
- The most common procedures for age 18-and-under were: laser hair removal, chemical peel, microdermabrasion, rhinoplasty and IPL laser treatment.
- Racial and ethnic minorities, as of last year, had approximately 20 percent of all cosmetic procedures, a decrease of 1 percent from 2007: Hispanics, 8 percent; African-Americans, 6 percent; Asians, 4 percent; and other non-Caucasians, 2 percent.

- Where cosmetic surgeries were performed: office facility, 53 percent, hospital 19 percent; and freestanding surgicenter, 26 percent.
- ♦ Of the doctors surveyed 74 percent say they do not offer "spa" services (e.g. wraps, facials, massages) in conjunction with their medical practices. 86 percent of the doctors say they do not work in conjunction with medical spas where nonsurgical procedures, such as injections and laser procedures are performed.
- Americans spent almost \$11.8 billion on cosmetic procedures last year.

Figures may not add exactly to totals and percentages may not equal 100 percent due to rounding.

Top 5 Surgical Procedures in 2008



Source: American Society for Aesthetic Plastic Surgery

Top 5 Nonsurgical Procedures in 2008



2008 National Totals for Cosmetic Procedures

The following list includes both surgical and nonsurgical cosmetic procedures. The top 5 surgical procedures are indicated in bold superscript letters in the column headed Number of Procedures, while the top 5 nonsurgical procedures are indicated by bold superscript numbers. The rankings of procedures overall (surgical and nonsurgical categories combined) are indicated in the column Overall Rank, while the rankings of procedures by category (surgical vs. nonsurgical) are labeled as such.

| Procedure | Number of Procedures | Percent of Total | Overall Rank | Rank within Category (Surgical/ Nonsurgical |
|---|-------------------------|---------------------|-----------------|---|
| Abdominoplasty (tummy tuck) | 147,392 ^E | 1.4% | 14 | 5 |
| Blepharoplasty (cosmetic eyelid surgery) | 195,104 ^c | 1.9% | 12 | 3 |
| Breast augmentation* | 355,671 ^A | 3.5% | 9 | 1 |
| Breast lift | 115,753 | 1.1% | 19 | 8 |
| Breast reduction (women)** | 139,926 | 1.4% | 15 | 6 |
| Buttock augmentation | 3,638 | 0.0% | 36 | 18 |
| Buttock lift | 2,426 | 0.0% | 38 | 20 |
| Cheek implants | 2,076 | 0.0% | 39 | 21 |
| Chin augmentation | 15,436 | 0.2% | 31 | 14 |
| Facelift | 132,504 | 1.3% | 17 | 7 |
| Forehead lift | 44,437 | 0.4% | 22 | 9 |
| Gynecomastia, (male breast reduction) | 19,124 | 0.2% | 28 | 12 |
| Hair transplantation | 21,656 | 0.2% | 27 | 11 |
| Lip augmentation (other than injectable materials) | 11.104 | 0.1% | 33 | 16 |
| Lipoplasty (liposuction) *** | 341,144 ^B | 3.3% | 10 | 2 |
| Lower body lift | 8,032 | 0.1% | 35 | 17 |
| Otoplasty (cosmetic ear surgery) | 24.798 | 0.2% | 26 | 10 |
| Rhinoplasty (nose reshaping) | 152,434 ^D | 1.5% | 13 | 4 |
| Thigh lift | 11,877 | 0.1% | 32 | 15 |
| Upper arm lift | 18,668 | 0.2% | 30 | 13 |
| Vaginal rejuvenation | 3,494 | 0.0% | 37 | 19 |
| Totals - Surgical Procedures | 1,766,695 | 17.2% | 01 | |
| Injectables: | 1,700,000 | 17.270 | | |
| Autologous fat | 41.791 | 0.4% | 23 | 14 |
| Botox | 2,464,123 ¹ | 24.0% | 1 | 1 |
| Calcium hydroxylapatite (Radiance) | 122,994 | 1.2% | 18 | 11 |
| Collagen**** | 58.470 | 0.6% | 21 | 13 |
| Hyaluronic Acid (including Hylaform, Juvederm, Perlane/Restylane) | 1,262,848³ | 12.3% | 3 | 3 |
| Poly-L-Latic Acid (Sculptra) | 31,928 | 0.3% | 24 | 15 |
| Polymethyl Methacrylate (Artecoll, Artefill) | 10,797 | 0.1% | 34 | 18 |
| Facial Rejuvenation: | 10,101 | 0.170 | 0.1 | |
| Chemical Peel | 591.8084 | 5.8% | 4 | 4 |
| Dermabrasion | 27,136 | 0.3% | 25 | 16 |
| Fraxel | 110,392 | 1.1% | 20 | 12 |
| IPL Laser Treatment | 526,828 | 5.1% | 7 | 7 |
| Laser Skin Resurfacing ***** | 570,880 ⁵ | 5.6% | 5 | 5 |
| Microdermabrasion | 557,131 | 5.4% | 6 | 6 |
| Noninvasive Tightening | 257,994 | 2.5% | 11 | 9 |
| Other: | 201,004 | 2.070 | '' | S |
| Injection lipolysis | 18.742 | 0.2% | 29 | 17 |
| Laser Hair Removal | 1,280,964 ² | 12.5% | 2 | 2 |
| Laser Treatment of Leg Veins | 133.192 | 1.3% | 16 | 10 |
| Sclerotherapy | 423,841 | 4.1% | 8 | 8 |
| Totals - Nonsurgical Procedures | 8,491,861 | 82.8% | | |
| TOTALS ALL PROCEDURES | 10,258,557 | 100.0% | | |

^{* 53.9%} of these procedures used saline implants and 46.1% used silicone implants.

Notes

- Final figures are projected to reflect nationwide statistics and are based on a survey of doctors who have been certified by American Board of Medical Specialties recognized boards, including but not limited to the American Board of Plastic Surgery. Though the confidence intervals change by procedure, depending on the grouping's sample size and the response variance, the overall survey portion of this research has a standard error of +/- 3.21% at a 95% level of confidence.
- Figures for procedures include but are not limited to those performed by ASAPS members. ASAPS members are plastic surgeons certified by the American Board of Plastic Surgery who specialize in cosmetic surgery of the face and the entire body.
- Component figures may not add exactly to totals and percentages may not equal 100% due to rounding.


^{**}Breast reduction may be covered by insurance, depending on terms of the policy and individual patient factors.

^{*** 18.0%} of these procedures were ultrasound-assisted lipoplasty (UAL).

^{****49.6%} of these procedures used bovine-derived collagen products and 50.4% used human-derived collagen products.

^{*****18.1%} of these procedures were performed with ablative lasers and 81.9% were performed with nonablative lasers.

Surgical and Nonsurgical Procedures: 12-year Comparison, 1997-2008




* Breast reduction may be covered by insurance, depending on terms of the policy and individual patient factors

DNA=Does not apply

NA=Not available (was not asked in prior survey)

- Final figures are projected to reflect nationwide statistics and are based on a survey of doctors who have been certified by American Board of Medical Specialties recognized boards, including but not limited to the American Board of Plastic Surgery. Though the confidence intervals change by procedure, depending on the grouping's sample size and the response variance, the overall survey portion of this research has a standard error of +/-3.21% at a 95% level of confidence.
- Figures for procedures include but are not limited to those performed by ASAPS members in the U.S. ASAPS members are plastic surgeons certified by the American Board of Plastic Surgery who specialize in cosmetic surgery of the face and the entire body.
- Component figures may not add exactly to totals and percentages may not equal 100% due to rounding. In no cases are the sums of component figures off by more than .02% from the national total number of procedures.

Top 5 Surgical Cosmetic Procedures in 2008



Percent of Change in Select Procedures: 1997-2008

Note that large percentage changes are common in cases where the total number of procedures is small.

| Procedure | 2008 | 2007 | 1997 | Percent Change 2008 vs 2007 | | Percent Change 2008 vs 2007 (Female) | Percent Change 2008 vs 2007 (Male) | Percent Change 2008 vs 1997 (Female) | Percent Change 2008 vs 1997 (Male) |
|--|------------|-----------|----------------|--------------------------------|---------------|---|---------------------------------------|---|---------------------------------------|
| Abdominoplasty (tummy tuck) | 147,392 | 185,335 | 34,002 | -20.5% | 333.5% | -20.8% | -10.1% | 335.8% | 275.0% |
| Blepharoplasty (cosmetic eyelid surgery) | 195,104 | 240,763 | 159,232 | -19.0% | 22.5% | -20.1% | -11.9% | 22.6% | 22.1% |
| Breast augmentation | 355,671 | 399,440 | 101,176 | -11.0% | 251.5% | -11.0% | dna | 251.5% | dna |
| Breast lift | 115,753 | 126,178 | 19,882 | -8.3% | 482.2% | -8.3% | dna | 482.2% | dna |
| Breast reduction (women)* | 139,926 | 153,087 | 47,874 | -8.6% | 192.3% | -8.6% | dna | 192.3% | dna |
| Buttock augmentation | 3,638 | 5,325 | na | -31.7% | na | -30.6% | -100.0% | na | na |
| Buttock lift | 2,426 | 3,787 | 1,549 | -35.9% | 56.6% | -36.5% | 35.2% | 58.8% | 21.4% |
| Cheek implants | 2,076 | 2,406 | 11,040 | -13.7% | -81.2% | 2.9% | -58.6% | -78.9% | -89.1% |
| Chin augmentation | 15,436 | 18,250 | 27,373 | -15.4% | -43.6% | -14.2% | -19.8% | -39.7% | -54.4% |
| Facelift acelift | 132,504 | 138,153 | 99,196 | -4.1% | 33.6% | -5.2% | 7.6% | 34.2% | 28.3% |
| Forehead lift | 44,437 | 61,119 | 55,090 | -27.3% | -19.3% | -28.1% | -20.6% | -19.3% | -19.1% |
| Gynecomastia, (male breast reduction) | 19,124 | 20.280 | 11,168 | -5.7% | 71.2% | dna | -5.7% | dna | 71.2% |
| Hair transplantation | 21,656 | 19,679 | 61,023 | 10.0% | -64.5% | 12.7% | 9.5% | -65.6% | -64.3% |
| ip augmentation (other than injectable materials) | 11,104 | 10,673 | na | 4.0% | na | 2.7% | 196.9% | na | na |
| Lipoplasty (liposuction) | 341,144 | 456,828 | 176,863 | -25.3% | 92.9% | -22.4% | -45.8% | 108.5% | 11.1% |
| Lower body lift | 8,032 | 12,711 | 2,125 | -36.8% | 278.0% | -38.4% | -16.6% | 270.1% | 367.8% |
| Otoplasty (cosmetic ear surgery) | 24,798 | 28.413 | 22,939 | -12.7% | 8.1% | -10.1% | -16.1% | 10.8% | 4.7% |
| Rhinoplasty (nose reshaping) | 152,434 | 151,796 | 137,053 | 0.4% | 11.2% | 1.8% | -4.9% | 32.0% | -32.1% |
| Thigh lift | 11.877 | 18,431 | 2.895 | -35.6% | 310.3% | -35.1% | -52.8% | 308.6% | 428.3% |
| Jpper arm lift | 18,668 | 21,870 | 2,516 | -14.6% | 642.0% | -14.7% | -7.0% | 638.6% | 2714.8% |
| /aginal rejuvenation | 3,494 | 4,506 | na | -22.4% | na | -22.4% | dna | na | dna |
| Totals - Surgical Procedures | 1,766,695 | 2,079,032 | 972,996 | -15.0% | 79.7% | -14.7% | -17.8% | 103.7% | -15.4% |
| njectables: | 1,7 00,000 | 2,010,002 | 012,000 | 10.070 | 70.170 | 11.170 | 11.070 | 100.170 | 10.170 |
| Autologous fat | 41.791 | 44,547 | 38,259 | -6.2% | 9.2% | -2.4% | -41.3% | 13.7% | -33.0% |
| Botox | 2,464,123 | 2,775,176 | 65,157 | -11.2% | 3681.8% | -8.4% | -31.7% | 3638.1% | 4169.2% |
| Calcium hydroxylapatite (Radiance) | 122,994 | 119,397 | na | 3.0% | na | 4.3% | -9.5% | na | na |
| Collagen | 58.470 | 63.769 | 347.168 | -8.3% | -83.2% | -4.6% | -55.4% | -82.5% | -91.6% |
| Hyaluronic Acid (including Hylaform, Juvederm, Perlane/Restylane | | 1,448,716 | na | -12.8% | na | -12.0% | -25.8% | na | na |
| Poly-L-Latic Acid (Sculptra) | 31,928 | 34,972 | na | -8.7% | na | -7.5% | -13.3% | na | na |
| Polymethyl Methacrylate (Artecoll, Artefill) | 10,797 | 12,075 | na | -10.6% | na | -8.3% | -27.0% | na | na |
| Facial Rejuvenation: | 10,737 | 12,013 | Πά | -10.070 | Tid | -0.570 | -21.070 | Πα | na |
| Chemical Peel | 591.808 | 575.080 | 481.227 | 2.9% | 23.0% | 3.4% | -4.4% | 22.4% | 33.0% |
| Dermabrasion | 27,136 | 32.968 | 40.214 | -17.7% | -32.5% | -18.2% | -12.7% | -21.3% | -70.8% |
| Fraxel | 110.392 | 167.351 | na | -34.0% | -32.570 na | -32.8% | -48.3% | -21.5% na | -70.070 na |
| IPL Laser Treatment | 526,828 | 647,707 | na | -18.7% | na | -17.9% | -25.8% | na | na |
| Laser Skin Resurfacing | 570.880 | 509.901 | 154.153 | 12.0% | 270.3% | 10.9% | 29.1% | 296.5% | 94.9% |
| Microdermabrasion | 557,131 | 829.658 | 134, 133 na | -32.8% | 270.5% na | -30.4% | -53.6% | 290.5% na | 94.9 % na |
| Noninvasive Tightening | 257,131 | 258.235 | na | -32.6% | na | -2.7% | 33.2% | na | na |
| Other: | 231,394 | 230,233 | ıla | -0.1/0 | IIa | -Z.1 /0 | JJ.Z /0 | IIa | IIa |
| Injection lipolysis | 18.742 | 36,056 | na | -48.0% | na | -52.1% | -2.1% | na | na |
| Laser Hair Removal | 1,280,964 | 1.412.657 | na | -46.0% | na | -10.2% | -3.2% | na | na |
| Laser Treatment of Leg Veins | 133.192 | 182.093 | na | -9.5% | na | -24.4% | -80.8% | na | |
| Sclerotherapy | 423,841 | 471,639 | na na | -20.9% | na na | -10.8% | 68.0% | na | na |
| | | 9,621,999 | | -10.1% | 233.4% | -10.6% -10.7% | -22.2% | 232.8% | na 239.2% |
| Totals - Nonsurgical Procedures | 8,491,861 | 9,021,999 | 1,126,177 | -11./% | 233.4% | -10.7% | -22.2% | 232.8% | 239.2% |


^{*}Breast reduction may be covered by insurance, depending on terms of the policy and individual patient factors. dna = Does not apply

na = Not available (was not asked in prior survey)

[•] Figures for procedures include but are not limited to those performed by ASAPS members. ASAPS members are plastic surgeons certified by the American Board of Plastic Surgery who specialize in cosmetic surgery of the face and the entire body.

[•] Component figures may not add exactly to totals and percentages may not equal 100% due to rounding.

Top 5 Cosmetic Surgeries for Women in 2008



Source: American Society for Aesthetic Plastic Surgery

Top 5 Cosmetic Surgeries for Men in 2008



2008 Gender Distribution for Cosmetic Procedures

The following list includes both surgical and nonsurgical cosmetic procedures. The rankings of procedures overall (surgical and nonsurgical categories combined) are indicated in the column Overall Rank. The rankings of procedures within their surgical and nonsurgical categories are indicated in the column Rank within each Category.

| Procedure | FEMALE (Number of Procedures) | Percent of Total | Overall Rank | Rank within Category (Surgical/ Nonsurgical) | MALE (Number of Procedures) | Percent of Total | Overall Rank | Rank within Category (Surgical/ Nonsurgical) |
|---|-------------------------------|---------------------|-----------------|--|-----------------------------|---------------------|-----------------|--|
| Abdominoplasty (tummy tuck) | 143,005 | 97.0% | 13 | 4 | 4,386 | 3.0% | 21 | 9 |
| Blepharoplasty (cosmetic eyelid surgery) | 166,426 | 85.3% | 12 | 3 | 28,678 | 14.7% | 10 | 3 |
| Breast augmentation | 355,671 | 100.0% | 9 | 1 | dna | dna | dna | dna |
| Breast lift | 115,753 | 100.0% | 18 | 8 | dna | dna | dna | dna |
| Breast reduction (women)* | 139,926 | 100.0% | 14 | 5 | dna | dna | dna | dna |
| Buttock augmentation | 3,638 | 100.0% | 34 | 16 | 0 | 0.0% | 35 | 17 |
| Buttock lift | 2,384 | 98.3% | 37 | 19 | 42 | 1.7% | 34 | 16 |
| Cheek implants | 1,807 | 87.0% | 38 | 20 | 270 | 13.0% | 30 | 12 |
| Chin augmentation | 12,202 | 79.0% | 29 | 12 | 3,235 | 21.0% | 22 | 10 |
| Facelift | 119,118 | 89.9% | 17 | 7 | 13,386 | 10.1% | 14 | 6 |
| Forehead lift | 39,207 | 88.2% | 23 | 9 | 5,230 | 11.8% | 20 | 8 |
| Gynecomastia, (male breast reduction) | dna | dna | dna | dna | 19,124 | 100.0% | 12 | 4 |
| Hair transplantation | 3,594 | 16.6% | 35 | 17 | 18,062 | 83.4% | 13 | 5 |
| Lip augmentation (other than injectable materials) | 10,891 | 98.1% | 31 | 14 | 213 | 1.9% | 33 | 15 |
| Lipoplasty (liposuction) | 309,692 | 90.8% | 10 | 2 | 31,453 | 9.2% | 8 | 1 |
| Lower body lift | 7,254 | 90.3% | 33 | 15 | 778 | 9.7% | 29 | 11 |
| Otoplasty (cosmetic ear surgery) | 14,367 | 57.9% | 28 | 11 | 10,431 | 42.1% | 15 | 7 |
| Rhinoplasty (nose reshaping) | 122,260 | 80.2% | 16 | 6 | 30,174 | 19.8% | 9 | 2 |
| Thigh lift | 11,635 | 98.0% | 30 | 13 | 242 | 2.0% | 32 | 14 |
| Upper arm lift | 18,410 | 98.6% | 26 | 10 | 258 | 1.4% | 31 | 13 |
| Vaginal rejuvenation | 3,494 | 100.0% | 36 | 18 | dna | dna | dna | dna |
| Totals - Surgical Procedures | 1,600,737 | 90.6% | | | 165,959 | 9.4% | | |
| Injectables: | | | | | | | | |
| Autologous fat | 39,259 | 93.9% | 22 | 14 | 2,533 | 6.1% | 25 | 15 |
| Botox | 2,239,024 | 90.9% | 1 | 1 | 225,099 | 9.1% | 1 | 1 |
| Calcium hydroxylapatite (Radiance) | 113,059 | 91.9% | 19 | 11 | 9,935 | 8.1% | 16 | 9 |
| Collagen | 56,377 | 96.4% | 21 | 13 | 2,093 | 3.6% | 26 | 16 |
| Hyaluronic Acid (including Hylaform, Juvederm, Perlane/Restylane) | 1,200,420 | 95.1% | 2 | 2 | 62,428 | 4.9% | 3 | 3 |
| Poly-L-Latic Acid (Sculptra) | 25,649 | 80.3% | 24 | 15 | 6,279 | 19.7% | 19 | 12 |
| Polymethyl Methacrylate (Artecoll, Artefill) | 9,741 | 90.2% | 32 | 18 | 1,056 | 9.8% | 28 | 18 |
| Facial Rejuvenation: | | | | | ,,,,, | | | |
| Chemical Peel | 554,492 | 93.7% | 4 | 4 | 37,316 | 6.3% | 7 | 7 |
| Dermabrasion | 24,480 | 90.2% | 25 | 16 | 2.656 | 9.8% | 24 | 14 |
| Fraxel | 103,468 | 93.7% | 20 | 12 | 6,924 | 6.3% | 17 | 10 |
| IPL Laser Treatment | 479,941 | 91.1% | 7 | 7 | 46,887 | 8.9% | 4 | 4 |
| Laser Skin Resurfacing | 532,008 | 93.2% | 5 | 5 | 38,872 | 6.8% | 6 | 6 |
| Microdermabrasion | 517,307 | 92.9% | 6 | 6 | 39,824 | 7.1% | 5 | 5 |
| Noninvasive Tightening | 232,594 | 90.2% | 11 | 9 | 25,401 | 9.8% | 11 | 8 |
| Other: | 202,00 | 33.273 | | | 20,.0. | 0.070 | | |
| Injection lipolysis | 15,892 | 84.8% | 27 | 17 | 2,851 | 15.2% | 23 | 13 |
| Laser Hair Removal | 1,101,255 | 86.0% | 3 | 3 | 179,708 | 14.0% | 2 | 2 |
| Laser Treatment of Leg Veins | 131,642 | 98.8% | 15 | 10 | 1,551 | 1.2% | 27 | 17 |
| Sclerotherapy | 417,465 | 98.5% | 8 | 8 | 6,377 | 1.5% | 18 | 11 |
| Totals - Nonsurgical Procedures | 7,794,073 | 91.8% | | | 697,789 | 8.2% | | |
| TOTALS ALL PROCEDURES | 9,394,810 | 91.6% | | | 863,748 | 8.4% | | |

^{*}Breast reduction may be covered by insurance, depending on terms of the policy and individual patient factors. dna = Does not apply

[•] Figures for procedures include but are not limited to those performed by ASAPS members. ASAPS members are plastic surgeons certified by the American Board of Plastic Surgery who specialize in cosmetic surgery of the face and the entire body.

Component figures may not add exactly to totals and percentages may not equal 100% due to rounding.

2008 Age Distribution for Cosmetic Procedures

The top 5 procedures in each age category are indicated in bold and with bold superscript numbers. Surgical and nonsurgical cosmetic procedures are not differentiated in this listing.

| Burnet in | 18 and Under (Number of | Percent of Procedural | 19-34 (Number of | Percent of Procedural | 35-50 (Number of | Percent of Procedural | 51-64 (Number of | Percent of Procedural | 65+ (Number of | Percent of Procedural |
|---|----------------------------|--------------------------|----------------------|--------------------------|------------------------|--------------------------|----------------------|--------------------------|----------------------|--------------------------|
| Procedure | Procedures) | Total | Procedures) | Total | Procedures) | Total | Procedures) | Total | Procedures) | Total |
| Abdominoplasty (tummy tuck) | 373 | 0.3% | 30,112 | 20.4% | 88,327 | 59.9% | 25,676 | 17.4% | 2,904 | 2.0% |
| Blepharoplasty (cosmetic eyelid surgery) | 369 | 0.2% | 9,361 | 4.8% | 68,732 | 35.2% | 91,806 | 47.1% | 24,836 | 12.7% |
| Breast augmentation | 4,108 | 1.2% | 170,9574 | 48.1% | 147,465 | 41.5% | 30,826 | 8.7% | 2,316 | 0.7% |
| Breast lift | 746 | 0.6% | 33,117 | 28.6% | 62,761 | 54.2% | 17,328 | 15.0% | 1,801 | 1.6% |
| Breast reduction (women)* | 5,106 | 3.6% | 42,040 | 30.0% | 64,615 | 46.2% | 25,502 | 18.2% | 2,663 | 1.9% |
| Buttock augmentation | 0 | 0.0% | 1,420 | 39.0% | 1,819 | 50.0% | 338 | 9.3% | 61 | 1.7% |
| Buttock lift | 0 | 0.0% | 363 | 14.9% | 1,203 | 49.6% | 861 | 35.5% | 0 | 0.0% |
| Cheek implants | 0 | 0.0% | 897 | 43.2% | 814 | 39.2% | 333 | 16.0% | 33 | 1.6% |
| Chin augmentation | 926 | 6.0% | 5,168 | 33.5% | 5,848 | 37.9% | 3,064 | 19.8% | 431 | 2.8% |
| Facelift | 0 | 0.0% | 1,458 | 1.1% | 31,404 | 23.7% | 75,920 | 57.3% | 23,722 | 17.9% |
| Forehead lift | 52 | 0.1% | 1,152 | 2.6% | 15,828 | 35.6% | 21,657 | 48.7% | 5,748 | 12.9% |
| Gynecomastia, (male breast reduction) | 2,355 | 12.3% | 10,688 | 55.9% | 5,001 | 26.1% | 965 | 5.0% | 116 | 0.6% |
| Hair transplantation | 1,473 | 6.8% | 2,512 | 11.6% | 11,202 | 51.7% | 5,643 | 26.1% | 825 | 3.8% |
| Lip augmentation (other than injectable materials) | 15 | 0.1% | 4,409 | 39.7% | 4,264 | 38.4% | 2,269 | 20.4% | 148 | 1.3% |
| Lipoplasty (liposuction) | 2,735 | 0.8% | 95,731 | 28.1% | 167,369 | 49.1% | 69,479 | 20.4% | 5,829 | 1.7% |
| Lower body lift | 0 | 0.0% | 2,152 | 26.8% | 4,222 | 52.6% | 1,545 | 19.2% | 113 | 1.4% |
| Otoplasty (cosmetic ear surgery) | 10,695 | 43.1% | 9,606 | 38.7% | 3,115 | 12.6% | 981 | 4.0% | 401 | 1.6% |
| Rhinoplasty (nose reshaping) | 13,8524 | 9.1% | 76,779 | 50.4% | 47,385 | 31.1% | 12,129 | 8.0% | 2,288 | 1.5% |
| Thigh lift | 0 | 0.0% | 2,731 | 23.0% | 6,465 | 54.4% | 2,421 | 20.4% | 261 | 2.2% |
| Upper arm lift | 43 | 0.2% | 2,968 | 15.9% | 8,798 | 47.1% | 6,099 | 32.7% | 760 | 4.1% |
| Vaginal rejuvenation | 130 | 3.7% | 1,421 | 40.7% | 1,779 | 50.9% | 164 | 4.7% | 0 | 0.0% |
| Totals - Surgical Procedures | 42,980 | 2.4% | 505,044 | 28.6% | 748,414 | 42.4% | 395,003 | 22.4% | 75,254 | 4.3% |
| Injectables: | | | | | | | | | | |
| Autologous fat | 158 | 0.4% | 5,803 | 13.9% | 13,285 | 31.8% | 16,794 | 40.2% | 5,752 | 13.8% |
| Botox | 8,194 | 0.3% | 379,5822 | 15.4% | 1,209,860 ¹ | 49.1% | 672,840 ¹ | 27.3% | 193,647¹ | 7.9% |
| Calcium hydroxylapatite (Radiance) | 324 | 0.3% | 11,275 | 9.2% | 55,460 | 45.1% | 42,722 | 34.7% | 13,214 | 10.7% |
| Collagen | 0 | 0.0% | 6,762 | 11.6% | 24,561 | 42.0% | 20,399 | 34.9% | 6,747 | 11.5% |
| Hyaluronic Acid (including Hylaform, Juvederm, Perlane/Restylane) | 4,288 | 0.3% | 200,560 ³ | 15.9% | 576,014 ² | 45.6% | 373,7412 | 29.6% | 108,244 ² | 8.6% |
| Poly-L-Latic Acid (Sculptra) | 82 | 0.3% | 1,683 | 5.3% | 12,179 | 38.1% | 11,356 | 35.6% | 6,627 | 20.8% |
| Polymethyl Methacrylate (Artecoll, Artefill) | 0 | 0.0% | 265 | 2.5% | 4,314 | 40.0% | 4,761 | 44.1% | 1,457 | 13.5% |
| Facial Rejuvenation: | | | | | | | | | | |
| Chemical Peel | 26,709 ² | 4.5% | 110,906 | 18.7% | 217,894 | 36.8% | 181,3144 | 30.6% | 54,984 ³ | 9.3% |
| Dermabrasion | 1,342 | 4.9% | 6,025 | 22.2% | 6,704 | 24.7% | 9,810 | 36.1% | 3,255 | 12.0% |
| Fraxel | 104 | 0.1% | 12,141 | 11.0% | 42,383 | 38.4% | 49,729 | 45.0% | 6,036 | 5.5% |
| IPL Laser Treatment | 11,398⁵ | 2.2% | 92,288 | 17.5% | 223,363 | 42.4% | 157,349 | 29.9% | 42,430 ⁴ | 8.1% |
| Laser Skin Resurfacing | 477 | 0.1% | 101,092 | 17.7% | 253,2844 | 44.4% | 178,8485 | 31.3% | 37,1795 | 6.5% |
| Microdermabrasion | 21,552 ³ | 3.9% | 156,288⁵ | 28.1% | 239,9925 | 43.1% | 107,091 | 19.2% | 32,208 | 5.8% |
| Noninvasive Tightening | 641 | 0.2% | 29,809 | 11.6% | 118,404 | 45.9% | 93,917 | 36.4% | 15,224 | 5.9% |
| Other: | | | | | | | | | | |
| Injection lipolysis | 0 | 0.0% | 3,562 | 19.0% | 12,364 | 66.0% | 2,386 | 12.7% | 431 | 2.3% |
| Laser Hair Removal | 39,152 ¹ | 3.1% | 478,892 ¹ | 37.4% | 527,904 ³ | 41.2% | 217,971 ³ | 17.0% | 17,045 | 1.3% |
| Laser Treatment of Leg Veins | 307 | 0.2% | 18,866 | 14.2% | 72,550 | 54.5% | 39,436 | 29.6% | 2,033 | 1.5% |
| Sclerotherapy | 2,574 | 0.6% | 85,523 | 20.2% | 215,690 | 50.9% | 107,154 | 25.3% | 12,900 | 3.0% |
| Totals - Nonsurgical Procedures | 117,303 | 1.4% | 1,701,323 | 20.0% | 3,826,205 | 45.1% | 2,287,617 | 26.9% | 559,413 | 6.6% |
| TOTALS ALL PROCEDURES | 160,283 | 1.6% | 2,206,367 | 21.5% | 4,574,619 | 44.6% | 2,682,621 | 26.2% | 634,667 | 6.2% |

^{*}Breast reduction may be covered by insurance, depending on terms of the policy and individual patient factors.

[•] Figures for procedures include but are not limited to those performed by ASAPS members. ASAPS members are plastic surgeons certified by the American Board of Plastic Surgery who specialize in cosmetic surgery of the face and the entire body.

[•] Component figures may not add exactly to totals and percentages may not equal 100% due to rounding.

2008 National Average for Physician/Surgeon Fees Per Procedure

| rocedure | National Average | Total Expenditures |
|---|------------------|--------------------|
| bdominoplasty (tummy tuck) | \$5,470 | \$806,185,765 |
| lepharoplasty (cosmetic eyelid surgery) | \$2,921 | \$569,917,328 |
| reast augmentation - silicone gel implants | \$3,885 | \$637,177,252 |
| reast augmentation - saline implants | \$3.603 | \$690,388,819 |
| Breast lift | \$4,380 | \$507,047,280 |
| reast reduction (women)* | \$5,630 | \$787,844,501 |
| Buttock augmentation | \$4,315 | \$15,697,608 |
| Buttock augmentation | \$5,066 | \$12,291,871 |
| Cheek implants | \$2,713 | \$5,632,856 |
| Chin augmentation | \$2,713 | \$35,199,626 |
| | | |
| Facelift | \$6,728 | \$891,524,394 |
| Forehead lift | \$3,355 | \$149,093,110 |
| Synecomastia, (male breast reduction) | \$3,410 | \$65,207,745 |
| lair transplantation | \$4,446 | \$96,284,691 |
| ip augmentation (other than injectable materials) | \$1,830 | \$20,315,074 |
| ipoplasty - Suction-assisted | \$2,874 | \$804,268,214 |
| ipoplasty - Ultrasound assisted | \$2,933 | \$179,760,686 |
| Lower body lift | \$7,976 | \$64,058,356 |
| Otoplasty (cosmetic ear surgery) | \$3,054 | \$75,732,978 |
| Rhinoplasty (nose reshaping) | \$4,369 | \$665,971,415 |
| Thigh lift | \$5,083 | \$60,374,277 |
| Jpper arm lift | \$3,953 | \$73,786,700 |
| /aginal rejuvenation | \$2,425 | \$8,472,515 |
| Total - Surgical Procedures | · <i>'</i> | \$7,222,233,062 |
| njectables: | | |
| Autologous fat | \$1,703 | \$71,183,452 |
| Botox | \$443 | \$1,090,374,483 |
| Calcium hydroxylapatite (Radiance) | \$753 | \$92,633,196 |
| Collagen, Bovine | \$411 | \$11,939,372 |
| Collagen, Human | \$657 | \$19,350,483 |
| Hyaluronic Acid (including Hylaform, Juvederm, Perlane/Restylane) | \$566 | \$714,165,690 |
| Poly-L-Latic Acid (Sculptra) | \$1,098 | \$35,065,043 |
| Polymethyl Methacrylate (Artecoll, Artefill) | \$1,292 | \$13,950,266 |
| Facial Rejuvenation: | Ψ1,202 | Ψ10,000,200 |
| Chemical Peel | \$704 | \$416,573,762 |
| Dermabrasion | \$1,452 | \$39,392,018 |
| Fraxel | \$1,306 | \$144.187.686 |
| IPL Laser Treatment | \$1,306 \$422 | \$144,167,666 |
| | | |
| Laser Skin Resurfacing - ablative | \$2,094 | \$216,458,367 |
| Laser Skin Resurfacing - nonablative | \$1,145 | \$535,467,810 |
| Microdermabrasion | \$139 | \$77,686,309 |
| Noninvasive Tightening | \$945 | \$243,879,585 |
| Other: | #500 | #44 000 CCC |
| Injection lipolysis | \$588 | \$11,026,692 |
| Laser Hair Removal | \$326 | \$417,299,496 |
| Laser Treatment of Leg Veins | \$345 | \$45,923,376 |
| Sclerotherapy | \$331 | \$140,160,110 |
| Totals - Nonsurgical Procedures | | \$4,559,075,462 |
| TOTALS ALL PROCEDURES | | \$11,781,308,524 |

Notes from the 2008 National Average for Physician/Surgeon Fees Table


Source: The American Society for Aesthetic Plastic Surgery for statistical data.


- Breast reduction may be covered by insurance, depending on terms of the policy and individual patient factors.
 Fees may vary.
- Figures are for physician/ surgeon fees only and do not include fees for the surgical facility, anesthesia, medical tests, prescriptions, surgical garments, or other miscellaneous costs related to surgery. Figures for procedures often performed on more than one site in the same session reflect typical fees for one site.


[•] Figures for procedures include but are not limited to those performed by ASAPS members. ASAPS members are plastic surgeons certified by the American Board of Plastic Surgery who specialize in cosmetic surgery of the face and the entire body.


[·] Component figures may not add exactly to totals and percentages may not equal 100% due to rounding.


General Information












Source: American Society for Aesthetic Plastic Surgery

14% Work with medical spas

Do not work with medical spas



Source: American Society for Aesthetic Plastic Surgery

50.3% Purely cosmetic bilateral breast augmentation**

21.7% Severe asymmetry

9.5% Congenital micromastia (severe underdevelopment)

9.0% Tubular breast deformity

5.4% Poland's syndrome (congenital absent breast)

4.1% Other

velopment)
reast)

Source: American Society for Aesthetic Plastic Surgery

79.8% Caucasian

3.0% Hispanics

6.4% African-American

4.1% People of Asian descent

1.8% Other

Total ethnic population (rounded) = 20%

*In 2008, there were 4,108 procedures performed on women 18 and under, only 2% of the total number of breast augmentations. Under 1 percent of the total number of breast augmentation procedures were performed on women 18 and under for purely cosmetic bilateral breast enlargement.

**The FDA recommends that cosmetic breast augmentation be restricted to women age 18 and above.

2008 ASAPS Member Practice Profile

The top 5 surgical procedures are indicated in bold superscript numbers in the column headed Number of Procedures, while the top 5 nonsurgical procedures are indicated by bold superscript letters. Members of the American Society for Aesthetic Plastic Surgery (ASAPS) are board-certified plastic surgeons (certified by the American Board of Plastic Surgery) who specialize in cosmetic surgery of the face and body.

| Procedure | Average Procedures per ASAPS Member |
|---|-------------------------------------|
| Abdominoplasty (tummy tuck) | 22.04 |
| Blepharoplasty (cosmetic eyelid surgery) | 27.9 ³ |
| Breast augmentation* | 62.6 ¹ |
| Breast lift | 19.3⁵ |
| Breast reduction (women)* | 16.6 |
| Buttock augmentation | 0.3 |
| Buttock lift | 0.3 |
| Cheek implants | 0.5 |
| Chin augmentation | 1.8 |
| Facelift | 16.1 |
| Forehead lift | 6.4 |
| Gynecomastia, (male breast reduction) | 3.4 |
| Hair transplantation | 0.5 |
| Lip augmentation (other than injectable materials) | 1.4 |
| Lipoplasty (liposuction) | 55.1 ² |
| Lower body lift | 1.6 |
| Otoplasty (cosmetic ear surgery) | 1.8 |
| Rhinoplasty (nose reshaping) | 10.9 |
| Thigh lift | 1.2 |
| Upper arm lift | 2.1 |
| Vaginal rejuvenation | 0.6 |
| Totals - Surgical Procedures | 252.2 |
| Injectables: | |
| Autologous fat | 6.9 |
| Botox | 222.5 ^A |
| Calcium hydroxylapatite (Radiance) | 10.8 |
| Collagen | 3.8 |
| Hyaluronic Acid (including Hylaform, Juvederm, Perlane/Restylane) | 81.5 ^c |
| Poly-L-Latic Acid (Sculptra) | 4.4 |
| Polymethyl Methacrylate (Artecoll, Artefill) | 1.4 |
| Facial Rejuvenation: | |
| Chemical Peel | 39.7 ^E |
| Dermabrasion | 4.4 |
| Fraxel | 12.8 |
| IPL Laser Treatment | 28.4 |
| Laser Skin Resurfacing | 20.1 |
| Microdermabrasion | 42.4 ^D |
| Noninvasive Tightening | 8.9 |
| Other: | |
| Injection lipolysis | 0.6 |
| Laser Hair Removal | 90.4 ^B |
| Laser Treatment of Leg Veins | 7.4 |
| Sclerotherapy | 7.6 |
| Totals - Nonsurgical Procedures | 594.0 |
| TOTALS ALL PROCEDURES | 846.2 |

Notes from the 2008 ASAPS Member Practice Profile Table

- Breast reduction may be covered by insurance, depending on terms of the policy and individual patient factors.
- Final figures are projected to reflect nationwide statistics and are based on a survey of doctors who have been certified by American Board of Medical Specialties recognized boards, including but not limited to the American Board of Plastic Surgery. Though the confidence intervals change by procedure, depending on the grouping's sample size and the response variance, the overall survey portion of this research has a standard error of +/- 3.21% at a 95% level of confidence.
- Figures for procedures include but are not limited to those performed by ASAPS members.
 ASAPS members are plastic surgeons certified by the American Board of Plastic Surgery who specialize in cosmetic surgery of the face and the entire body.
- Component figures may not add exactly to totals and percentages may not equal 100% due to rounding.

ASAPS Procedure Quick Facts

| Surgical Procedures | Best Candidate | Physician/ Surgeon Fees* | Length of Procedure | Number of Treatments | Results** | Back to Work |
|---|--|--------------------------------|--------------------------|----------------------------------|--|----------------|
| Abdominoplasty (tummy tuck) | Protruding abdomen; excess fat and skin; weak abdominal muscles | \$5,470 | 2-5 hours | One | Permanent | 1-3 weeks |
| Breast Augmentation (saline) Breast Augmentation (silicone) | Small, disproportionate breasts | \$3,603 \$3,885 | 1-2 hours | One | Permanent possible implant replacement | 1-2 weeks |
| Breast Lift | Sagging, poorly shaped breasts | \$4,380 | 1 1/2-3 1/2 hours | One | Long-lasting | 1-2 weeks |
| Breast Reduction | Large, heavy, pendulous, or disproportionate breasts | \$5,630 | 2-4 hours | One | Permanent | 1-2 weeks |
| Buttock Lift | Sagging skin, excess fat, weakened muscles in thigh/buttocks area | \$5,066 | 2 hours | One | Long-lasting | 10-14 days |
| Cheek Implants | Poor facial contour | \$2,713 | 2 hours | One | Permanent | 1-2 weeks |
| Chin Augmentation | Receding chin | \$2,280 | 1 hour | One | Permanent | 1-2 weeks |
| Otoplasty (cosmetic ear surgery) | Protruding or disproportionate ears | \$3,054 | 2-3 hours | One | Permanent | 5 days |
| Blepharoplasty (cosmetic eyelid surgery) | Excess fat, wrinkled, drooping skin of upper eyelids; bags, puffiness under eyes | \$2,921 | 1-3 hours | One | Long-lasting | Within 10 days |
| Facelift | Loose skin, deep lines, wrinkles, jowls | \$6,728 | 2-3 hours | One | Long-lasting | Within 2 weeks |
| Forehead Lift | Sagging, low eyebrows, forehead creases, frown lines | \$3,355 | 1-2 hours | One | Long-lasting | Within 10 days |
| Gynecomastia | Male breast reduction | \$3,410 | 2 hours | One | Permanent | 1 week |
| Hair Transplantation | Hair loss with the availability of healthy hair in donor areas | \$4,446 | Several hours | Multiple sessions over 1-2 years | Permanent | Several days |
| Lip augmentation (surgical) | Thin lips | \$1,830 | 1 hour | One | Permanent | Within 1 week |
| Lipoplasty (suction-assisted) Lipoplasty (ultrasound-assisted) | Normal weight with isolated fatty areas | \$2,874 \$2,933 | 45 minutes - 2 hours | One | Permanent | 1-2 weeks |
| Lower Body Lift | Skin laxity without significant fat deposits | \$7,976 | Up to 8 hours | One | Long-lasting | Up to 4 weeks |
| Rhinoplasty | Nose too large, wide, or tip needs reshaping | \$4,369 | 1-2 hours | One | Permanent | 7-10 days |
| Thigh Lift | Loose, excess skin | \$5,083 | 2 hours | One | Long-lasting | 2-4 weeks |
| Upper Arm Lift | Excess skin and fat on underside of arm | \$3,953 | 2 hours | One | Long-lasting | 1-2 weeks |
| * National average: surgeon foes are by | asod on ASARS 2007 Statistics. Foos vary consider | hly by goographic | rogion Eggility food and | athonia and athor auraio | al acata not included | |

^{*} National average; surgeon fees are based on ASAPS 2007 Statistics. Fees vary considerably by geographic region. Facility fees, anesthesia and other surgical costs not included. ** With any surgical procedure, a revision or touch-up may sometime be necessary.

ASAPS Procedure Quick Facts (continued)

| Non-surgical Procedures | Best Candidate | Physician/Surgeon Fees* | Length of Procedure | Number of Treatments | Results** | Back to Work |
|---|--|----------------------------|---|---|--------------|----------------------------------|
| Botox | Frown lines and crow's feet | \$443 | 30 minutes | Repeat treatments 4-6 months | Temporary | No downtime |
| Chemical Peel (ranges from light to deep) | Sun-damaged or unevenly pigmented skin | \$704 | 1/2 hour - 3 hours Depends on type of peel | One or multiple Depends on type of peel | Long-lasting | Depends on type of peel |
| Dermabrasion | Acne, wrinkles around mouth, sun-damaged skin | \$1,452 | A few minutes - 1 1/2 hours | Multiple sessions | Long-lasting | 7-10 days |
| Laser Hair Removal | Unwanted hair on face or body | \$326 | 1-2 hours Depends on area | Multiple sessions | Ongoing | No downtime |
| Laser Skin Resurfacing | Fair, non-oily skin; sun-damaged facial skin, wrinkles around mouth and eyes, acne scars | \$2,094 | Variable, up to 1 1/2 hours | One or multiple depending on laser and skin condition | Long-lasting | Variable, up to 14 days |
| Laser Treatment of Leg Veins | Very small spider veins | \$345 | 30 minutes - 1 hour | Multiple sessions | Permanent | No downtime |
| Microdermabrasion | Fine lines, crow's feet, age spots, acne scars | \$139 | 30 minutes - 1 hour | Multiple sessions 2-3 week intervals | Temporary | No downtime |
| Sclerotherapy | Spider veins | \$331 | 30 minutes - 1 hour | 3-4 Treatments Injections | Permanent | No downtime |
| Soft Tissue Fillers | | | | | | |
| 1) Autologous Fat | Folds, lips, frown lines, and facial recontouring | \$1,703 | 1 hour depending on the sites | Highly variable, repeat treatments | Temporary | 1-4 days, Extensive 7-14 days |
| Calcium hydroxylapatite (Radiesse/Radiance) | Nasolabial folds, frown lines, crow's feet, and lips | \$753 | Less than 1 hour | Repeat treatments 2 years or longer | Temporary | No downtime |
| 3) Collagen (Bovine) 3) Collagen (Human) | Frown lines, crow's feet, nasolabial folds | \$411 \$657 | Less than 1 hour | Repeat treatments 3-6 months | Temporary | No downtime |
| 4) Hyaluronic acid (Hylaform, Restylane) | Nasolabial folds, forehead wrinkles, smile lines, and lips | \$566 | Less than 1 hour | Repeat treatments 4 months – 1 year | Temporary | No downtime |

^{*} National average; surgeon fees are based on ASAPS 2007 Statistics. Fees vary considerably by geographic region. Facility fees, anesthesia and other surgical costs not included.

^{**} With any surgical procedure, a revision or touch-up may sometime be necessary.

Quick Facts: Consumer Attitudes Survey 2009

Americans' general approval of cosmetic surgery

- 62% of women say they approve of cosmetic surgery
- 51% of men say they approve of cosmetic surgery

Would consider cosmetic surgery for self, now or in the future

- 40% of women
- 18% of men

Would not be embarrassed about having cosmetic surgery

- 73% of women say that, if they had cosmetic surgery in the future, they would not be embarrassed if people outside their immediate family and close friends knew about it
- 69% of men would not be embarrassed

Would consider cosmetic surgery for self, now or in the future, by age [includes both men and women]

- 21% of Americans 65 or older
- 21% of 55-64 year olds
- 34% of 45-54 year olds
- 31% of 35-40 year olds
- 37% of 25-34 year olds
- 31% of 18-24 year olds

Would consider cosmetic surgery for self, now or in the future, by race/ ethnicity [includes both men and women]

- 29% of white Americans
- 31% of non-white Americans

American's attitude toward cosmetic surgery as compared to 5 years ago by gender

- 23% of women are more favorable towards cosmetic surgery as compared to 5 years ago
- 18% of men are more favorable towards cosmetic surgery as compared to 5 years ago

Would not be embarrassed about having cosmetic surgery by race/ethnicity [includes both men and women]

- 71% of white Americans
- 71% of non-white Americans

The study was commissioned by the American Society for Aesthetic Plastic Surgery (ASAPS) and conducted by the independent research firm Synovate.

ASAPS Quick Facts

- ♦ The American Society for Aesthetic Plastic Surgery (ASAPS)
- ♦ Founded in 1967
- ♦ Primary mission: education and research in cosmetic plastic surgery
- ♦ Over 2400 members, mostly in the U.S. and Canada
- ♦ International members in 38 countries
- ♦ U.S. members are plastic surgeons certified by the American Board of Plastic Surgery (in Canada, by the Royal College of Physicians and Surgeons of Canada) and specializing in cosmetic surgery of the face and body
- ♦ Accredited sponsor of cosmetic surgery Continuing Medical Education (CME) for qualified plastic surgeons since 1974
- ♦ Sponsor of the Cosmetic Surgery National Data Bank since 1997
- ♦ Peer-reviewed publication: Aesthetic Surgery Journal, the world's most widely read clinical journal of cosmetic surgery

